

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.68
		Depth to saturated zone	0.68				
Holmdel-----	30	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95			Filtering capacity	0.01
AdB: Adelphia-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.68
		Depth to saturated zone	0.68			Too steep for surface application	0.01
Holmdel-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95			Filtering capacity	0.01
						Too steep for surface application	0.01
AdC: Adelphia-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Holmdel-----	40	Depth to saturated zone	0.68	Too acid	0.14	Depth to saturated zone	0.68
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
AeB: Adelphia-----	30					Filtering capacity	0.01
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.68
Holmdel-----	30	Depth to saturated zone	0.68			Too steep for surface application	0.01
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	0.68			Filtering capacity	0.01
Urban Land-----	30					Too steep for surface application	0.01
		Not rated		Not rated		Not rated	
AfB: Alloway-----	40						
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.77	Depth to saturated zone	1.00	Too acid	0.77
		Depth to saturated zone	0.68	Slope	0.01	Depth to saturated zone	0.68
		Low adsorption	0.01			Too steep for surface application	0.08

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sassafras-----	30					Low adsorption	0.01
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.01
AfC: Alloway-----	40	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability	0.96
		Depth to saturated zone	0.68	Slope	1.00	Too acid	0.77
		Too steep for surface application	0.22			Depth to saturated zone	0.68
		Low adsorption	0.01			Too steep for sprinkler application	0.22
Sassafras-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
AnB: Alloway-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.77	Depth to saturated zone	1.00	Too acid	0.77
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
		Low adsorption	0.01			Low adsorption	0.01
						Too steep for surface application	0.01
Sassafras-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.01
Urban Land-----	30	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AnD: Alloway-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too steep for surface application	0.76	Slope	1.00	Too acid	0.77
		Depth to saturated zone	0.68			Too steep for sprinkler application	0.76
		Low adsorption	0.01			Depth to saturated zone	0.68
Sassafras-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.76	Too acid	0.14	Too steep for sprinkler application	0.76
Urban Land-----	30	Not rated		Not rated		Not rated	
AoA: Annapolis-----	70	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
AoB: Annapolis-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
						Too steep for surface application	0.01
AoC: Annapolis-----	75	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Too steep for surface application	0.22			Too steep for surface application	1.00
						Too steep for sprinkler application	0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AsA: Annapolis-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
AsB: Annapolis-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
						Too steep for surface application	0.01
AsC: Annapolis-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
		Too steep for surface application	0.22	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
AsE: Annapolis-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Filtering capacity	1.00
						Too acid	1.00
AsF: Annapolis-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Filtering capacity	1.00
						Too acid	1.00
AsG: Annapolis-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AuB: Annapolis-----	50	Too acid	1.00			Filtering capacity Too acid	1.00 1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
						Too steep for surface application	0.01
Urban Land-----	40	Not rated		Not rated		Not rated	
AuD: Annapolis-----	50	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Slope	1.00	Filtering capacity	1.00
		Too steep for surface application	0.76			Too acid	1.00
						Too steep for sprinkler application	0.76
Urban Land-----	35	Not rated		Not rated		Not rated	
CaB: Chillum-----	60	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.01	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
CaC: Chillum-----	60	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00			Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
CbB: Chillum-----	40	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	40	Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.01
CHA: Codorus-----	40	Not rated		Not rated		Not rated	
Hatboro-----	30	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Flooding	1.00
		Low adsorption	1.00			Depth to saturated zone	1.00
CkA: Colemantown-----	80	Depth to saturated zone	1.00	Depth to saturated zone Restricted permeability	1.00	Too acid	0.91
		Too acid	0.91			Filtering capacity	0.01
		Very limited Flooding	1.00			Very limited Depth to saturated zone	1.00
CmA: Colemantown-----	70	Seepage	1.00	Depth to saturated zone Restricted permeability	1.00	Low adsorption	1.00
		Depth to saturated zone	1.00			Flooding	1.00
		Low adsorption	1.00			Too acid	0.31
CnB: Colemantown-----	40	Too acid	0.31	Depth to saturated zone	1.00	Filtering capacity	0.01
		Very limited Ponding	1.00			Very limited Ponding	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
CnB: Colemantown-----	40	Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
		Seepage	1.00			Restricted permeability	0.94
CnB: Colemantown-----	40	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Low adsorption	1.00			Low adsorption	1.00
CnB: Colemantown-----	40	Too acid	1.00	Very limited Ponding	1.00	Too acid	1.00
		Seepage	1.00			Restricted permeability	0.96
		Very limited Ponding	1.00			Very limited Ponding	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Low adsorption	1.00			Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
		Seepage	1.00			Restricted permeability	0.94
Urban Land-----	30	Not rated		Not rated		Not rated	
CoA: Collington-----	60	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				
Wist-----	25	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00		
				Too acid	0.21		
CoB: Collington-----	50	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00	Slope	0.01	Too steep for surface application	0.08
Wist-----	30	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	0.01
				Too acid	0.21		
CoC: Collington-----	40	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
Wist-----	35	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CpB: Urban Land-----	35	Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Slope	1.00	Too steep for sprinkler application	0.22
				Too acid	0.21		
		Not rated		Not rated		Not rated	
Collington-----	25	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.01
Wist-----	25	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	0.01
				Too acid	0.21		
CpD: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.76			Too steep for sprinkler application	0.76
Wist-----	25	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Too steep for surface application	0.76	Slope	1.00	Too steep for sprinkler application	0.76
				Too acid	0.21		
CRD: Collington-----	40	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Annapolis-----	25	Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
CSE: Collington-----	40	Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Filtering capacity	1.00
						Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Westphalia-----	25	Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
Wist-----	25	Too acid	1.00			Too acid	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
				Too acid	0.21		
CSF: Collington-----	40	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Westphalia-----	25	Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
Wist-----	25	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
				Too acid	0.21		
CSG: Collington-----	40	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
Westphalia-----	25	Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wist-----	25	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability Too acid	1.00 0.21	Too acid	1.00
CTA: Comus-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	1.00			Too acid	0.91
		Too acid	0.91				
Codorus-----	35	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.91
		Too acid	0.91				
CxA: Cumberstone-----	45	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Too acid	0.21	Restricted permeability	0.60
Mattapex-----	25	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
CxB: Cumberstone-----	40	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Too acid	0.21	Restricted permeability	0.60
						Too steep for surface application	0.01
Mattapex-----	40	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CxC: Cumberstone-----	40	Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.01
		Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.68	Slope	1.00	Depth to saturated zone	0.68
		Too steep for surface application	0.22	Too acid	0.21	Restricted permeability	0.60
						Too steep for sprinkler application	0.22
Mattapex-----	35	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
CyB: Cumberstone-----	30	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Too acid	0.21	Restricted permeability	0.60
						Too steep for surface application	0.01
Mattapex-----	30	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.01
Urban Land-----	25	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CyD: Cumberstone-----	30	Very limited		Very limited		Very limited	
		Too acid	1.00	Restricted	1.00	Too acid	1.00
		Seepage	1.00	permeability		Too steep for	1.00
		Depth to		Depth to		surface	
Mattapex-----	25	Too steep for	0.76	saturated zone	1.00	application	
		surface		Slope	1.00	Too steep for	0.76
		application		Too acid	0.21	sprinkler	
		Depth to	0.68			application	
Urban Land-----	20	saturated zone				Depth to	0.68
						saturated zone	
						Restricted	0.60
						permeability	
DcA: Deale-----	40	Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to	1.00	Too acid	1.00
		Too acid	1.00	saturated zone		Too steep for	1.00
				Restricted	1.00	surface	
Shadyoak-----	20	Depth to	0.95	permeability		application	
		saturated zone		Slope	1.00	Depth to	0.95
		Too steep for	0.76	Too acid	0.14	saturated zone	
		surface				Too steep for	0.76
DeA: Deale-----	35	application				sprinkler	
						application	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Too acid	1.00	Too acid	0.21	Restricted permeability	1.00
		Not rated		Not rated		Not rated	
Shadyoak-----	20	Very limited Depth to saturated zone Seepage	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Depth to saturated zone Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
DfA: Dodon-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability Too acid	1.00	Depth to saturated zone	0.84
DfB: Dodon-----	75	Depth to saturated zone	0.84		0.21		
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
DfC: Dodon-----	75	Too acid	1.00	Restricted permeability Too acid	1.00	Depth to saturated zone Too steep for surface application	0.84
		Depth to saturated zone	0.84		0.21		0.01
DnA: Donlonton-----	65	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
DnB: Donlonton-----	65	Depth to saturated zone Too steep for surface application	0.84	Slope	1.00	Depth to saturated zone	0.84
		Too steep for surface application	0.22	Too acid	0.21	Too steep for sprinkler application	0.22
DnA: Donlonton-----	65	Very limited Low adsorption	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Depth to saturated zone Seepage Too acid	1.00		1.00	Depth to saturated zone Too acid Restricted permeability	1.00
DnB: Donlonton-----	65		1.00				0.94
		Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DuB: Donlonton-----	40	Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Slope	0.01	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
						Too steep for surface application	0.08
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
						Too steep for surface application	0.01
Urban Land-----	35	Not rated		Not rated		Not rated	
DvB: Downer-----	40	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.32	Very limited Too acid	1.00
		Too acid	1.00	Slope	0.01	Filtering capacity	1.00
Hammonton-----	20					Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.32	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Slope	0.01	Too steep for surface application	0.08
DvC: Downer-----	50						
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.32	Filtering capacity	1.00
		Too steep for surface application	0.22			Too steep for surface application	1.00
						Too steep for sprinkler application	0.22



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hammonton-----	20	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.84	Restricted permeability	0.32	Depth to saturated zone	0.84
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
DvD: Downer-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	0.32	Too acid	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
						Filtering capacity	1.00
Hammonton-----	15	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.84			Depth to saturated zone	0.84
DwB: Downer-----	25	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.32	Very limited Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
						Too steep for surface application	0.01
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.32	Depth to saturated zone	0.84

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DwD: Downer-----	30	Depth to saturated zone	0.84			Too steep for surface application	0.01
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Too steep for surface application	0.76			Filtering capacity	1.00
Urban Land-----	25					Too steep for sprinkler application	0.76
		Not rated		Not rated		Not rated	
Hammonton-----	20	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.84	Restricted permeability	0.32	Depth to saturated zone	0.84
		Too steep for surface application	0.76			Too steep for sprinkler application	0.76
DxB: Downer-----	40	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.32	Very limited Too acid	1.00
		Too acid	1.00	Slope	0.01	Filtering capacity	1.00
						Too steep for surface application	0.08
Phalanx-----	35	Very limited Seepage	1.00	Somewhat limited Too acid	0.42	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Slope	0.01	Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
						Too steep for surface application	0.08
DxC: Downer-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.32	Filtering capacity	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Phalanx-----	35	Too steep for surface application	0.22			Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Low adsorption	1.00	Too acid	0.42	Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
DxD: Downer-----	40	Too steep for surface application	0.22			Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	0.32	Too acid	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
Phalanx-----	35					Filtering capacity	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Low adsorption	1.00			Low adsorption	1.00
		Too acid	1.00			Too steep for surface application	1.00
		Too steep for surface application	1.00			Too acid	1.00
EuB: Evesboro-----	25					Too steep for sprinkler application	1.00
						Filtering capacity	1.00
		Very limited Seepage	1.00	Somewhat limited Too acid	0.03	Very limited Too acid	1.00
		Too acid	1.00	Slope	0.01	Filtering capacity	1.00
						Too steep for surface application	0.08
Urban Land-----	25	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Galestown-----	20	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Too acid Slope	0.14 0.01	Very limited Too acid Filtering capacity Too steep for surface application	1.00 1.00 0.08
EuD: Evesboro-----	30	Very limited Seepage Too acid  Too steep for surface application	1.00 1.00  0.76	Very limited Slope Too acid	1.00 0.03	Very limited Too acid Too steep for surface application Filtering capacity  Too steep for sprinkler application	1.00 1.00 1.00 0.76
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Very limited Seepage Too acid  Too steep for surface application	1.00 1.00  0.76	Very limited Slope Too acid	1.00 0.14	Very limited Too acid Too steep for surface application Filtering capacity  Too steep for sprinkler application	1.00 1.00 1.00 0.76
EuE: Evesboro-----	30	Very limited Seepage  Too steep for surface application Too acid	1.00  1.00 1.00	Very limited Slope  Too acid	1.00  0.03	Very limited Too steep for surface application Too steep for sprinkler application Too acid Filtering capacity	1.00 1.00 1.00 1.00
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EVC: Evesboro-----	45	Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.42	Filtering capacity	1.00
		Too steep for surface application	0.22			Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
Galestown-----	20	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	1.00
		Too steep for surface application	0.22			Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
FaA: Fallsington-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.08
		Low adsorption	0.08				
FrA: Fallsington-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.08
		Low adsorption	0.08				
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	75	Very limited Seepage	1.00	Somewhat limited Too acid	0.14	Very limited Too acid	1.00
		Too acid	1.00	Slope	0.01	Filtering capacity	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HmB: Annapolis-----	40					Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid Too steep for surface application	1.00 0.01
Howell-----	40	Very limited Too acid	1.00	Very limited Restricted permeability Too acid	1.00	Very limited Too acid	1.00
		Seepage	1.00		0.42	Too steep for surface application	0.01
HmC: Howell-----	45	Very limited Too acid	1.00	Very limited Restricted permeability Slope	1.00	Very limited Too acid	1.00
		Seepage	1.00		0.86	Too steep for surface application	0.91
		Too steep for surface application	0.05	Too acid	0.42	Too steep for sprinkler application	0.05
Annapolis-----	40	Very limited Seepage	1.00	Very limited Restricted permeability Slope	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00		1.00	Too acid	1.00
		Too steep for surface application	0.22			Too steep for surface application Too steep for sprinkler application	1.00 0.22
HMD: Annapolis-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Filtering capacity Too acid	1.00 1.00
Howell-----	40	Very limited Too acid	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HME: Annapolis-----	40	Too steep for surface application	1.00	Restricted permeability	1.00	Too acid	1.00
		Seepage	1.00	Too acid	0.42	Too steep for sprinkler application	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Filtering capacity Too acid	1.00
Howell-----	40	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Seepage	1.00	Too acid	0.42	Too acid	1.00
HoA: Dodon-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.21		
Howell-----	40	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.42		
HoB: Dodon-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.21	Too steep for surface application	0.01
Howell-----	40	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.42	Too steep for surface application	0.01

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HoC: Dodon-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.84	Slope	1.00	Depth to saturated zone	0.84
		Too steep for surface application	0.22	Too acid	0.21	Too steep for sprinkler application	0.22
Howell-----	40	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Slope	0.86	Too steep for surface application	0.91
		Too steep for surface application	0.05	Too acid	0.42	Too steep for sprinkler application	0.05
HOD: Dodon-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Too acid	0.21	Depth to saturated zone	0.84
Howell-----	40	Very limited Too acid	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too acid	1.00
		Seepage	1.00	Too acid	0.42	Too steep for sprinkler application	1.00
HOE: Dodon-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Howell-----	40	Depth to saturated zone	0.84	Too acid	0.21	Depth to saturated zone	0.84
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
HOF: Dodon-----	40	Seepage	1.00	Too acid	0.42	Too acid	1.00
		Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
Howell-----	40	Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Too acid	0.21	Depth to saturated zone	0.84
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Too steep for surface application	1.00
MaB: Dodon-----	40	Too acid	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Seepage	1.00	Too acid	0.42	Too acid	1.00
		Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
Marr-----	40	Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.21	Too steep for surface application	0.01
		Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Low adsorption	1.00
MaC: Dodon-----	35	Low adsorption	1.00			Too acid	0.91
		Too acid	0.91			Too steep for surface application	0.01
		Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Marr-----	35	Depth to saturated zone	0.84	Slope	1.00	Depth to saturated zone	0.84
		Too steep for surface application	0.22	Too acid	0.21	Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.91			Too acid	0.91
MaD: Dodon-----	35	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Too acid	0.21	Depth to saturated zone	0.84
Marr-----	35	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
MDE: Dodon-----	35	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Too acid	0.21	Depth to saturated zone	0.84
Marr-----	35	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MDF: Marr-----	35	Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
Dodon-----	30	Too acid	0.91			Too acid	0.91
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Too acid	0.21	Depth to saturated zone	0.84
MgB: Dodon-----	30	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.21	Too steep for surface application	0.01
Marr-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption Too acid	1.00 0.91			Too acid Too steep for surface application	0.91 0.01
Urban Land-----	30	Not rated		Not rated		Not rated	
MgD: Dodon-----	30	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Slope	1.00	Depth to saturated zone	0.84

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Marr-----	30	Too steep for surface application	0.76	Too acid	0.21	Too steep for sprinkler application	0.76
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	0.91 0.76			Too acid Too steep for sprinkler application	0.91 0.76
Urban Land-----	30	Not rated		Not rated		Not rated	
MmA: Matapeake-----	60	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid	1.00
MmC: Matapeake-----	50	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Slope Too acid	1.00 0.14	Too acid Too steep for surface application	1.00 1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
MpB: Matapeake-----	30	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid Too steep for surface application	1.00 0.01
Urban Land-----	30	Not rated		Not rated		Not rated	
MpD: Matapeake-----	30	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Too acid Too steep for surface application	1.00 0.76	Too acid	0.14	Too acid Too steep for sprinkler application	1.00 0.76
		Not rated		Not rated		Not rated	
MRD: Matapeake-----	40	Very limited Low adsorption Seepage	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
Mattapex-----	30	Too steep for surface application Too acid	1.00 1.00	Too acid	0.14	Too steep for sprinkler application Too acid	1.00 1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application Too acid	1.00 1.00
MtA: Mattapex-----	60	Too acid Too steep for surface application Depth to saturated zone	1.00 1.00 0.95	Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.14	Too steep for sprinkler application Depth to saturated zone	1.00 1.00 0.95
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
MtB: Mattapex-----	60	Too acid Depth to saturated zone	1.00 0.95	Restricted permeability Too acid	1.00 0.14	Depth to saturated zone	0.95
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
MtC: Mattapex-----	60	Too acid Depth to saturated zone	1.00 0.95	Restricted permeability Too acid	1.00 0.14	Depth to saturated zone Too steep for surface application	0.95 0.01
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MxB: Mattapex-----	35	Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.01
Butlertown-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
						Too steep for surface application	0.01
MxC: Mattapex-----	45	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
Butlertown-----	25	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too acid	0.91	Slope	1.00	Restricted permeability	0.94
		Depth to saturated zone	0.43			Too acid	0.91
		Too steep for surface application	0.22			Depth to saturated zone	0.43
MyB: Mattapex-----	30	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	25	Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.01
		Not rated		Not rated		Not rated	
Butlertown-----	20	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
MZA: Mispillion-----	40					Too steep for surface application	0.01
		Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Salinity	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00			Flooding	1.00
Transquaking-----	40	Salinity	0.50			Restricted permeability	0.15
		Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Salinity	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Salinity	0.50			Restricted permeability	0.94
NMA: Mannington-----	40						
		Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	0.69	Depth to saturated zone	1.00	Restricted permeability	0.21
Nanticoke-----	40					Filtering capacity	0.01
		Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PeB: Patapsco-----	30	Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	0.69	Depth to saturated zone	1.00	Restricted permeability	0.21
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Filtering capacity	1.00
		Too acid	1.00	Too acid	0.21	Too acid	1.00
Evesboro-----	20	Too steep for surface application	0.01			Too steep for surface application	0.01
		Very limited Seepage	1.00	Somewhat limited Too acid	0.42	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
Fort Mott-----	20	Too steep for surface application	0.01			Too steep for surface application	0.01
		Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.62	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	1.00
				Slope	0.01	Too steep for surface application	0.08
PfB: Fort Mott-----	30	Too steep for surface application	0.01			Too steep for surface application	0.01
		Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.62	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	1.00
						Too steep for surface application	0.01
Patapsco-----	30	Too steep for surface application	0.01			Too steep for surface application	0.01
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00	Too acid	0.21	Too acid	1.00
						Too steep for surface application	0.01
PfC: Fort Mott-----	30	Too steep for surface application	0.01			Too steep for surface application	0.01
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.62	Filtering capacity	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for surface application	1.00



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Patapsco-----	30					Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Too steep for surface application	0.22	Too acid	0.21	Too steep for surface application	1.00
PfD: Fort Mott-----	30					Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	0.62	Too acid	1.00
		Too steep for surface application	1.00	Too acid	0.14	Filtering capacity	1.00
Patapsco-----	30					Too steep for sprinkler application	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Filtering capacity	1.00
		Too steep for surface application	1.00	Too acid	0.21	Too acid	1.00
PgB: Fort Mott-----	25					Too steep for sprinkler application	1.00
		Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.62	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	1.00
						Too steep for surface application	0.01
Patapsco-----	25	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00	Too acid	0.21	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	25	Not rated		Not rated		Too steep for surface application	0.01
PgD: Fort Mott-----	25	Very limited Seepage Too acid	1.00 1.00	Very limited Slope Restricted permeability	1.00 0.62	Very limited Too acid Too steep for surface application	1.00 1.00
		Too steep for surface application	0.76	Too acid	0.14	Filtering capacity	1.00
						Too steep for sprinkler application	0.76
Patapsco-----	25	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Slope	1.00	Filtering capacity	1.00
		Too steep for surface application	0.76	Too acid	0.21	Too acid	1.00
						Too steep for sprinkler application	0.76
Urban Land-----	25	Not rated		Not rated		Not rated	
PpA: Pepperbox-----	60	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Low adsorption Too acid	1.00 1.00	Too acid	0.03	Low adsorption Too acid Restricted permeability	1.00 1.00 0.99
PrB: Pepperbox-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Low adsorption Too acid	1.00 1.00	Too acid	0.03	Low adsorption Too acid Restricted permeability	1.00 1.00 0.99

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Too steep for surface application	0.01
PT: Gravel And Borrow Pits-----	100	Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Slope	1.00	Filtering capacity	1.00
		Depth to saturated zone	0.43	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Depth to saturated zone	0.43
						Too steep for sprinkler application	0.22
RfA: Russett-----	65	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Depth to saturated zone	0.86	Too acid	0.21	Restricted permeability	0.50
RfB: Russett-----	65	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Depth to saturated zone	0.86	Too acid	0.21	Restricted permeability	0.50
						Too steep for surface application	0.01
RhB: Russett-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Depth to saturated zone	0.86	Too acid	0.21	Restricted permeability	0.50
						Too steep for surface application	0.01
Alloway-----	25	Very limited		Very limited		Somewhat limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hambrook-----	20	Seepage	1.00	Restricted permeability	1.00	Restricted permeability	0.96
		Too acid	0.77	Depth to saturated zone	1.00	Too acid	0.77
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
		Low adsorption	0.01			Low adsorption	0.01
						Too steep for surface application	0.01
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Restricted permeability	0.60
				Too acid	0.14	Too steep for surface application	0.01
RhC: Russett-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.86	Slope	1.00	Depth to saturated zone	0.86
		Too steep for surface application	0.22	Too acid	0.21	Restricted permeability	0.50
						Too steep for sprinkler application	0.22
Alloway-----	25	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability	0.96
		Depth to saturated zone	0.68	Slope	1.00	Too acid	0.77
		Too steep for surface application	0.22			Depth to saturated zone	0.68
		Low adsorption	0.01			Too steep for sprinkler application	0.22
Hambrook-----	20	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RhD: Russett-----	30	Too steep for surface application	0.22	Slope	1.00	Restricted permeability	0.43
				Too acid	0.14	Too steep for sprinkler application	0.22
						Filtering capacity	0.01
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.86	Too acid	0.21	Depth to saturated zone	0.86
						Restricted permeability	0.50
Alloway-----	25	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability	0.96
		Depth to saturated zone	0.68			Too acid	0.77
		Low adsorption	0.01			Depth to saturated zone	0.68
Hambrook-----	20	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
				Too acid	0.14	Restricted permeability	0.43
						Filtering capacity	0.01
RkB: Russett-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Alloway-----	25	Depth to saturated zone	0.86	Too acid	0.21	Restricted permeability	0.50
						Too steep for surface application	0.01
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.77	Depth to saturated zone	1.00	Too acid	0.77
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
Urban Land-----	25	Low adsorption	0.01			Low adsorption	0.01
						Too steep for surface application	0.01
RyB: Russett-----	35	Not rated		Not rated		Not rated	
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Depth to saturated zone	0.86	Too acid	0.21	Restricted permeability	0.50
						Too steep for surface application	0.01
Urban Land-----	35	Not rated		Not rated		Not rated	
SaB: Sassafras-----	60	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
				Slope	0.01		
SaD: Sassafras-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfB: Sassafras-----	55	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
				Slope	0.01		
ShA: Hambrook-----	40	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Restricted permeability	0.60
				Too acid	0.14		
Sassafras-----	40	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SME: Sassafras-----	30	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Croom-----	25	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
SMF: Sassafras-----	30	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Croom-----	25	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnB: Sassafras-----	35	Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.01
Urban Land-----	35	Not rated		Not rated		Not rated	
SnD: Sassafras-----	35	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.76	Too acid	0.14	Too steep for sprinkler application	0.76
		Not rated		Not rated		Not rated	
Urban Land-----	30	Not rated		Not rated		Not rated	
SoA: Elkton-----	40	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
Shadyoak-----	40	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
SpA: Shadyoak-----	45	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Elkton-----	40	Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
SrA: Elkton-----	30	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
Shadyoak-----	30	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
Urban Land-----	30	Not rated		Not rated		Not rated	
SsA: Shrewsbury-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				
TsB: Tinton-----	65	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.61	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Filtering capacity	0.01
						Too steep for surface application	0.01
TsC: Tinton-----	65	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.61	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TuB: Tinton-----	40	Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
						Filtering capacity	0.01
		Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.61	Very limited Low adsorption	1.00
		Low adsorption Too acid	1.00 1.00	Too acid	0.14	Too acid Filtering capacity Too steep for surface application	1.00 0.01 0.01
Urban Land-----	30	Not rated		Not rated		Not rated	
TuC: Tinton-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.61	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
						Filtering capacity	0.01
Urban Land-----	30	Not rated		Not rated		Not rated	
UfG: Udorthents-----	100	Not rated		Not rated		Not rated	
UoB: Udorthents-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	0.31	Too acid	0.03	Restricted permeability	0.50

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UoD: Udorthents-----	100					Too steep for surface application	0.01
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	0.31	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.03	Restricted permeability	0.50
UoE: Udorthents-----	100					Too steep for sprinkler application	0.22
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Seepage	0.31	Too acid	0.03	Too acid Restricted permeability	1.00 0.50
UpB: Udorthents-----	65	Not rated		Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated		Not rated	
UxE: Udorthents-----	60	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
Uz: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WBA: Widewater-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	1.00			Too acid	0.31
		Too acid	0.31				
Issue-----	30	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.67
		Too acid	0.67				
WdA: Woodstown-----	60	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		
WdB: Woodstown-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WrB: Urban Land-----	40	Depth to saturated zone	0.84			Filtering capacity	0.01
						Too steep for surface application	0.01
		Not rated		Not rated		Not rated	
Woodstown-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.01
ZBA: Zekiah-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.21		
Issue-----	30	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Too acid	0.67
		Depth to saturated zone	1.00			Flooding	0.60
		Too acid	0.67				

